

J O S E P H H A M I L T O N & S E A T O N



MAINSTAY

Construction		Loop Pile Tile
Pile Content		100% Polypropylene
Primary Backing		Non-Woven + Bitumen
Secondary Backing		
Tile Size		50cm x 50cm
Pile Weight		580g/m ²
Total Weight		4100g/m ²
Pile Height		3.4mm
Total Height		6.2mm
Gauge		1/10th


Performance Classification	BS EN 1307	
Castor Chair	BS EN 985 PARTA	B occasional use
Impact Noise Rating	BS EN ISO 140-8	39db
Acoustic Insulation	BS EN ISO 717-1	0.19 at 1000Hz
Static Electricity (Walking Test)	ISO 6356 : 2000	<2kv
Colour Fastness - Light	BS EN ISO 105 B02	5-6
Wet	BS EN ISO 105 B01	3-5
Dry Rubbing	BS EN ISO 105 x 12	3-5
Tog Rating		0.45 Max temp for under floor heating 30°C
Thermal Resistance	BS EN ISO 8301	0.45m ² /kw
Flammability	BS EN 13501-1	Cfl-s1
Hot Metal Nut Test	BS 4790	Low radius of ignition

Suitability

- . Commercial
- . Retail
- . Hospitality
- . Offices

Guarantee

5 Year Heavy Commercial Wear



JHS RSS 2.0



2009/533

JOSEPH HAMILTON & SEATON

RELAY PARK, RELAY DRIVE, TAMWORTH STAFFORDSHIRE, B77 5PR

TELEPHONE: (01827) 831400 TELEFAX: (01827) 831401

EMAIL: sales@jhscarpets.com

Registered Office: Gorsey Lane Coleshill Birmingham B46 1JU England HFD Ltd Registered in England and Wales No. 2674152